



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

648.4702

Job Sheet 176679



①

Part No: 648.4702

Job Qty: 1 ea

Part Name: C3 Overhaul Kit



Part Weight: 0 lbs

Status: Scheduled

Priority: Medium

Job Created: 4/27/18

Job Tracking No:

Due Date: 5/24/18

Created By: Marie Lajeunesse

Type: SOLD

Description:

Note: O&OPM-C3 REV.4 IPP REV:A 17.12.11 NEW ISSUE DD VERF:JFS

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup hrs	Run Hrs	Workcenter / Supplier	Lead Time	
90	Start up Operation	1 Ea	5/24/18	5/24/18	0.00	0.00	Start Up Stores/Pkg-1		18-05-23
110	Small Fab	1 pcs	5/24/18	5/24/18	0.00	1.00	Small Fab-9		18-05-23
120	QC	1 pcs	5/24/18	5/24/18	0.00	0.00	QC4		38
125	DC	1 pcs	5/24/18	5/24/18	0.00	0.00	DC		9-89
130	Packaging	1 pcs	5/24/18	5/24/18	0.00	0.00	Packaging3-1		MAY 24 2018
140	QC21-FG	1 Ea	5/24/18	5/24/18	0.00	0.00	QC21		21 MAY 24 2018

Part Op 110 - Pick kit

Descriptions: 125 - Photocopy bluefile & type labels per PPP 648.7402

130 - Identify and pack for shipping as per PPP 648.4702

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
188-FPSS-1032-1/4	Set Screw	2 Ea (2 ea)	90-Start up Operation	5058750
188-FSCS-832-5/8	Clock Spring Cover Screw	4 Ea (4 ea)	90-Start up Operation	5038399
600.1309-A	Label	1 Ea (1 ea)	90-Start up Operation	5059655/6
600.1313	C3 Warning Label	1 Ea (1 ea)	90-Start up Operation	5029483
AN4-16A	Bolt	3 Ea (3 ea)	90-Start up Operation	5068654
C2-14-2	Label Rivets	2 Ea (2 ea)	90-Start up Operation	5029241
C2-3-1	Bearing DU	2 pcs (2 ea)	90-Start up Operation	5068886
C2-3-2-1	Roller Pin Retaining Ring	2 Ea (2 ea)	90-Start up Operation	5029241
C2-3-3-1	Latch Roller DU Bearing	1 Ea (1 ea)	90-Start up Operation	5056845
C2-3-5	Spacer, Teflon	2 Ea (2 ea)	90-Start up Operation	5050472
C2-3-8	Actuator Bushing	2 Ea (2 ea)	90-Start up Operation	5058758
C3-10-2	Lock Spring	1 Ea (1 ea)	90-Start up Operation	5072543
C3-12-1	Lock Bushing	2 Ea (2 ea)	90-Start up Operation	5070352
C3-12-6 (5400-0037 SPP)	Lock Roller Retaining Ring	2 pcs (2 ea)	90-Start up Operation	5035073
C3-13-1 (06FBU04)	Keeper DU-Bearing Bushing	2 pcs (2 ea)	90-Start up Operation	5060126
C3-13-5 (BEND OFF)	Keeper Spring	1 pcs (1 ea)	90-Start up Operation	5029270
C3-3-4-1 (5400-0042 SPP)	Retaining Ring	4 pcs (4 ea)	90-Start up Operation	5029273
C3-3-9	Actuator Spring	1 pcs (1 ea)	90-Start up Operation	5032318
C3-4-1	Load Beam Bushing	2 Ea (2 ea)	90-Start up Operation	5029280
C3-7-1	Load Beam Bumper	1 Ea (1 ea)	90-Start up Operation	5072098
C3-7-2	Lock Bumper	2 Ea (2 ea)	90-Start up Operation	5062797
C3-8-4	Solenoid Cover Gasket	1 pcs (1 ea)	90-Start up Operation	5067293
				5029287

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td></td> </tr> </table>				Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐																																																	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																																																																		
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																																																																		
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																																																																		
Large Fab ☐	Composite ☐	Supplier ☐																																																																			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval _____																																																																	
Dart Aerospace Ltd. 1270 Aberdeen Street Newbury, ON K6A 1K7 CANADA TEL: 1 813 632-5200 Email: sales@dartero.com www.dartaerospace.com Container No: S073306 Part: 648.4702 Job No: 176679 Serial No/Batch: S073306 Revision: 4 Inspector: _____ Date: 05/23/10																																																																					
Description Work Order De 				Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____																																																																	
<table style="width:100%; border: none;"> <tr> <td colspan="2" style="text-align: center;">Root Cause</td> <td></td> <td></td> <td></td> </tr> <tr> <td style="border: none;">Environment ☐</td> <td style="border: none;">No Re-verification ☐</td> <td style="border: none;">Press ☐</td> <td style="border: none;">Positioned Wrong ☐</td> <td style="border: none;"></td> </tr> <tr> <td style="border: none;">Design ☐</td> <td style="border: none;">Operator ☐</td> <td style="border: none;">Bend ☐</td> <td style="border: none;">Outside Dimensions ☐</td> <td style="border: none;"></td> </tr> <tr> <td style="border: none;">Doc/Data ☐</td> <td style="border: none;">Offset/Setup ☐</td> <td style="border: none;">Centr ☐</td> <td style="border: none;">Over/Under tolerance ☐</td> <td style="border: none;"></td> </tr> <tr> <td style="border: none;">Equip/Tooling ☐</td> <td style="border: none;">Supplier ☐</td> <td style="border: none;">Crack ☐</td> <td style="border: none;">Part Incorrect ☐</td> <td style="border: none;"></td> </tr> <tr> <td style="border: none;">Handling/Pre ☐</td> <td style="border: none;">Training ☐</td> <td style="border: none;">Crimp ☐</td> <td style="border: none;">Part Lost/Missing ☐</td> <td style="border: none;"></td> </tr> <tr> <td style="border: none;">Material ☐</td> <td style="border: none;">Use for Testing ☐</td> <td style="border: none;">Cuffs ☐</td> <td style="border: none;">Part Moved ☐</td> <td style="border: none;"></td> </tr> <tr> <td style="border: none;">Internal Transport ☐</td> <td style="border: none;">Poor Information ☐</td> <td style="border: none;">Crushing ☐</td> <td style="border: none;">Drawing ☐</td> <td style="border: none;"></td> </tr> <tr> <td style="border: none;">Tribal Knowledge ☐</td> <td style="border: none;">Rushing ☐</td> <td style="border: none;">Heat Treat ☐</td> <td style="border: none;">Finish ☐</td> <td style="border: none;"></td> </tr> <tr> <td style="border: none;">LOA ☐</td> <td style="border: none;">Product Improvement ☐</td> <td style="border: none;">Wave/Twist in Tube ☐</td> <td style="border: none;">Misread ☐</td> <td style="border: none;"></td> </tr> <tr> <td style="border: none;">Substation ☐</td> <td style="border: none;">Process Improvement ☐</td> <td style="border: none;">Marks/Chatter ☐</td> <td style="border: none;">Turning Sequence ☐</td> <td style="border: none;"></td> </tr> <tr> <td style="border: none;">Past Expiry Date ☐</td> <td style="border: none;">Manufacturing Process ☐</td> <td></td> <td></td> <td></td> </tr> <tr> <td style="border: none;">Misidentified ☐</td> <td style="border: none;">Past Due ☐</td> <td></td> <td></td> <td></td> </tr> </table>					Root Cause					Environment ☐	No Re-verification ☐	Press ☐	Positioned Wrong ☐		Design ☐	Operator ☐	Bend ☐	Outside Dimensions ☐		Doc/Data ☐	Offset/Setup ☐	Centr ☐	Over/Under tolerance ☐		Equip/Tooling ☐	Supplier ☐	Crack ☐	Part Incorrect ☐		Handling/Pre ☐	Training ☐	Crimp ☐	Part Lost/Missing ☐		Material ☐	Use for Testing ☐	Cuffs ☐	Part Moved ☐		Internal Transport ☐	Poor Information ☐	Crushing ☐	Drawing ☐		Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Finish ☐		LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Misread ☐		Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Turning Sequence ☐		Past Expiry Date ☐	Manufacturing Process ☐				Misidentified ☐	Past Due ☐			
Root Cause																																																																					
Environment ☐	No Re-verification ☐	Press ☐	Positioned Wrong ☐																																																																		
Design ☐	Operator ☐	Bend ☐	Outside Dimensions ☐																																																																		
Doc/Data ☐	Offset/Setup ☐	Centr ☐	Over/Under tolerance ☐																																																																		
Equip/Tooling ☐	Supplier ☐	Crack ☐	Part Incorrect ☐																																																																		
Handling/Pre ☐	Training ☐	Crimp ☐	Part Lost/Missing ☐																																																																		
Material ☐	Use for Testing ☐	Cuffs ☐	Part Moved ☐																																																																		
Internal Transport ☐	Poor Information ☐	Crushing ☐	Drawing ☐																																																																		
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Finish ☐																																																																		
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Misread ☐																																																																		
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Turning Sequence ☐																																																																		
Past Expiry Date ☐	Manufacturing Process ☐																																																																				
Misidentified ☐	Past Due ☐																																																																				
OTHER : _____																																																																					

NAS1149F0463P	Washer ✓	8 Ea (8 ea)	90-Start up Operation	5056461
MS21044N4 ✓	Nut, Self-Locking ✓	4 Ea (4 ea)	90-Start up Operation	5058122
AN4-17A ✓	Bolt ✓	1 Ea (1 ea)	90-Start up Operation	5067893
MS21083N3 ✓	Nut ✓	2 Ea (2 ea)	90-Start up Operation	5036469
NAS1149F0332P	Washer ✓	2 Ea (2 ea)	90-Start up Operation	5068663
MS35266-63 ✓	Solenoid Cover Screw ✓	1 Ea (1 ea)	90-Start up Operation	5038767
NAS1149F0363P	Washer ✓	1 Ea (1 ea)	90-Start up Operation	5027738
AN6-15A ✓	Bolt ✓	1 Ea (1 ea)	90-Start up Operation	5049842
MS21083N6 ✓	Nut ✓	1 Ea (1 ea)	90-Start up Operation	5036359
NAS1149F0632P	Washer ✓	2 Ea (2 ea)	90-Start up Operation	5048297

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
90-Start up Operation	188-FPSS-1032-1/4	2	104	0
	188-FSCS-832-5/8	4	180	0
	600.1309-A	1	0	0
	600.1313	1	0	0
	AN4-16A	3	239	0
	AN4-17A	1	163	0
	AN6-15A	1	11	0
	C2-14-2	2	264	0
	C2-3-1	2	0	0
	C2-3-2-1	2	100	0
	C2-3-3-1	1	29	0
	C2-3-5	2	100	0
	C2-3-8	2	6	0
	C3-10-2	1	0	0
	C3-12-1	2	34	0
	C3-12-6 (5100-0037-SPP)	2	0	0
	C3-13-1 (06FDU04)	2	0	0
	C3-13-5 (DENDOFF)	1	0	0
	C3-3-4-1 (5100-0012-SPP)	4	0	0
	C3-3-9	1	0	0
	C3-4-1	2	0	0
	C3-7-1	1	10	0
	C3-7-2	2	0	0
	C3-8-4	1	0	0
	MS21044N4	4	158	0
	MS21083N3	2	87	0
	MS21083N6	1	25	0
	MS35266-63	1	44	0
	NAS1149F0332P	2	1,675	0
	NAS1149F0363P	1	221	0
	NAS1149F0463P	8	481	0
	NAS1149F0632P	2	446	0

Part Specifications

Specifications could not be found.

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER :							
Misidentified ☐	Past Due ☐								